

2017

# **CenUSA Models Predict Large Water Quality Improvements from Perennials**

CenUSA's System Performance team research shows water quality benefits when biofuels are produced from perennial grasses; provides guidance for policymakers, farmers, and the bioenergy industry

## **Table of Contents**


- The Team and Objectives
- Team Activities
- Outcomes from The Team's Work
- Why This Work Is Important
- Contributors to This Report
- CenUSA Feedstock Development Team Publications

# The Team and Objectives

Despite more than 40 years of largely voluntary efforts by federal, state and local government, and tens of billions of dollars of investment in conservation, nationwide progress on nutrient control has not yet been achieved. Concentrations of nitrogen (N) and phosphorus (P) in streams and groundwater are 2-10 times higher than recommended to protect aquatic life and contamination of drinking water is still widespread. The consequences of agricultural nonpoint source pollution are particularly evident where the Mississippi River enters the Gulf of Mexico. The Gulf's hypoxic, or "dead zone" is the largest hypoxic region in the US and the second largest in the world.

CenUSA's System Performance team jointly led by Iowa State University's Cathy Kling and the University of Minnesota's Jason Hill has focused on water quality and biofuel production life cycle analysis. Kling's Iowa State team has worked to develop models that could evaluate what is likely to happen to water quality with various biofuel scenarios and help guide policymakers, farmers, and the bioenergy industry in designing sustainable regional biofuels systems. Their


cutting edge work compared different bioenergy feedstocks, grown in both marginal and prime farmland, and how new biomass production systems are likely to impact water quality and climate change.



The CenUSA Vision is to create a Midwestern regional system for producing advanced transportation fuels and bioproducts derived from perennial grasses grown on land that is either unsuitable or marginal for row crop production. In addition to producing advanced biofuels and bioproducts, the proposed system will improve the sustainability of existing cropping systems by reducing agricultural runoff of nutrients and soil and increasing carbon sequestration.

CenUSA Vision. Logo: Chris Hobbs Design

"CenUSA is a large project working to evaluate the production of perennial biofuels in the Corn Belt, said System Performance team collaborator Phil Gassman of Iowa State University. "We've been working with people across many institutions and have been fortunate to develop a tight collaboration with a great group of scientists."



The Gulf's hypoxic zone at the base of the Mississippi river is caused by nutrient runoff.

Image: NOAA's Environmental Visualization Lab

## **Team Activities**

Three papers co-authored by Kling and Gassman along with other team members

Indrajeet Chauby (Purdue University), Raj Cibin (Penn State) and Yiannis Panagopoulus (formerly a post doc at Iowa State now at National Technical University, Athens, Greece) have recently been accepted by or are in review with the Journal of American Water Resources Association (JAWRA). A fourth overview paper, currently accepted by JAWRA, "Policy Implications from Multi-Scale Watershed Models of Biofuel Crop Adoption across the Corn Belt," compares the findings from these three studies and discusses policy impacts.

The team's research addresses one of the country's key policy questions, what are the water quality impacts of converting cropland and/or marginal lands to cellulosic biofuel systems in the upper Midwest? Uniquely, their models compared land use changes at different scales: within three smaller watersheds,




Fig.1. CenUSA models contrasted the water quality impacts from biofuel

the Boone River Basin in Iowa and the Wildcat Creek Basin and St Joseph River Basin in Indiana and at a larger scale, using a regional model developed across the Upper Mississippi and Ohio Tennessee watersheds (Figure 1)

## **Outcomes from The Team's Work**

To contrast results across the models, the team developed a set of scenarios, using the most promising biofuel feedstocks: corn stover, switchgrass and miscanthus; grown at different intensities (Corn stover harvested at 20% and 50% removal rates; and miscanthus and switchgrass grown in all cropland of the watershed versus targeted regions, environmental sensitive areas (lands greater than 2% slope) (Table 1). Results showed major environmental improvements from planting perennials, and that targeting their conversion on marginal lands can result in a disproportionately bigger impact. In general, and perhaps surprisingly, corn stover removal had small negative impacts on environmental losses. The modeled results may lead biofuel policy toward utilizing both corn stover and perennial grasses, targeted to marginal lands; something the authors state could be a potential "win-win."

Table 1. Impact (percentage of change) scenarios on total phosphorus

Scenario	St	Wildcat	Boone	Upper Mississippi &
	Joseph	Creek		Ohio Tennessee River
Corn stover prime land 20%			2	1
all				
Corn stover prime land 50%	-2	-2	5	3
Switchgrass - all land	-90	-98	-83	-58
Switchgrass, marginal - >2%	-51	-22	-22	-14
slope				
Miscanthus - all	-90	-94	-79	-59
Miscanthus, marginal - >2%	-51	-22	-22	-14
slope				

# **Why This Work Is Important**

"Our results confirmed what field studies and previous modeling studies have shown," said Gassman. "Working perennials into agricultural landscapes has big benefits. Perennial feedstocks have huge impacts in reducing pollutant losses," said Gassman.

In the latest JAWRA paper, the authors explain that, "there is a clear evidence that there are gains from targeting perennials to marginal land." Watershed scale modeling of the type done by the CenUSA team, "can provide useful information to policy makers concerning the environmental gains from adopting changes in the existing [CRP] program or develop new options in the future..."

The water quality benefits of perennials reported in these studies may encourage policy makers to reconfigure federal agriculture and energy policies including the Renewable Fuel Standard (RFS) and USDA conservation programs like the Conservation Reserve Program (CRP), Environmental Quality Incentive Program (EQIP) and Conservation Security Program (CSP) to utilize corn stover on prime acres along with perennial grasses, targeted to marginal lands; something the authors state could be a potential "win-win."

Rather than paying farmers to set land aside, policy makers, particularly those looking at budget impacts, may see a benefit from programs that allow corn (grain and stover) to be harvested on prime lands while aiming perennials on marginal lands. If farmers were paid to plant perennial crops like switchgrass and the crops could be harvested, federal rental payments for conservation programs like CRP could be lowered to reflect the commercial benefit provided to growers. Similarly, the Hypoxic Task Force, with its goal of state nutrient plans reducing nutrient loads by 45% may see an opportunity in exploring the role of perennials and biofeedstock production in the Mississippi River watershed.

Rather than paying farmers to set land aside, policy makers, particularly those looking at budget impacts, may see a benefit from programs that allow corn (grain and stover) to be harvested on prime lands while aiming perennials on marginal lands. If farmers were paid to plant perennial crops like switchgrass and the crops could be harvested, federal rental payments for conservation programs like CRP could be lowered to reflect the commercial benefit provided to growers. Similarly, the Hypoxic Task Force, with its goal of state nutrient plans reducing nutrient loads by 45% may see an opportunity in exploring the role of perennials and biofeedstock production in the Mississippi River watershed.

# **Contributors to This Summary**

Pam Porter, Environmental Resources Center, University of Wisconsin

# **CenUSA Feedsock Development Team Publications**

## Case Study

 Making Business Decisions with Precision Data Can Encourage Perennial Grass Production. https://cenusa.iastate.edu/files/cenusa\_2019\_006.pdf

#### **Fact Sheets**

- Estimated Cost of Establishment and Production of "Liberty" Switchgrass: Perennial Grass Decision Support Tool Mainul Hoque, Georgeanne Artz, Chad Hart. https://cenusa.iastate.edu/files/cenusa 2019 015.pdf
- The Economics of Switchgrass for Biofuel Richard Perrin. https://cenusa.iastate.edu/files/cenusa 2019 021.pdf

## **Research Summaries**

- Competition for Land Use: Why Would a Rational Producer Grow Switchgrass for Biofuel? - Keri Jacobs.
   <a href="https://cenusa.iastate.edu/files/cenusa">https://cenusa.iastate.edu/files/cenusa</a> 2019 031.pdf
- Management Practices Impact Greenhouse Gas Emissions in the Harvest of Corn Stover for Biofuels Stover - Virginia Jin. <a href="https://cenusa.iastate.edu/files/cenusa\_2019\_028.pdf">https://cenusa.iastate.edu/files/cenusa\_2019\_028.pdf</a>
- Minnesota Watershed Nitrogen Reduction Planning Tool Bill Lazarus. https://cenusa.iastate.edu/files/cenusa 2019 029.pdf

#### **Webinars**

- Competition for Land Use: Why would the rational producer grow switchgrass for biofuel? - Keri Jacobs. https://www.youtube.com/watch?v=nObWCdMHqqE
- Diversifying Cellulosic Feedstocks DK Lee. https://learn.extension.org/events/1260
- Perennial Herbaceous Biomass Production and Harvest in the Prairie Pothole Region of the Northern Great Plains - Susan Rupp.
   <a href="https://www.youtube.com/watch?v=gCaHpfKcJY">https://www.youtube.com/watch?v=gCaHpfKcJY</a>
- Switchgrass Cost of Production Marty Schmer.
   <a href="https://www.youtube.com/watch?v=AsrWGhjr4\_Y">https://www.youtube.com/watch?v=AsrWGhjr4\_Y</a>
- Switchgrass Economics in the North Central Region of the USA (Captioned)
   Richard Perrin. https://www.youtube.com/watch?v=FMqPIA5C4kk

# **Instructional Video**

• Enhancing the Mississippi Watershed with Perennial Bioenergy Crops - Pam Porter https://youtu.be/87UHZn73Yj4

#### **Journal Publications**

- Schmer M.R., Vogel K.P., Varvel G.E., Follett R.F., Mitchell R.B., et al. 2014 Energy Potential and Greenhouse Gas Emissions from Bioenergy Cropping Systems on Marginally Productive Cropland. PLoS ONE 9(3): e89501. DOI: 10.1371/journal.pone.0089501 (<a href="http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0089501">http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0089501</a>)
- Schilling, K., Gassman, P., Kling, C. T. Campbell, M. Jha, C. Wolter, & J. Arnold. 2103. The Potential for Agricultural Land Use Change to Reduce Flood Risk in a Large Watershed. Hydrological Processes (2013), wileyonlinelibrary.com, DOI: 10.1002/hyp.9865.
   (http://onlinelibrary.wiley.com/doi/10.1002/hyp.9865/abstract).
- Rabotyagov, S., Kling, C.L., Gassman, P., Rabalais, N. & Turner, R. 2014. The
  Economics of Dead Zones: Causes, Impacts, Policy Challenges, and a Model of the
  Gulf of Mexico Hypoxic Zone. Review of Environmental Economics and Policy,

- published online Jan. 5, 2014 DOI:10.1093/reep/ret024.
   (<a href="http://reep.oxfordjournals.org/content/early/2014/01/04/reep.ret024.abstract">http://reep.oxfordjournals.org/content/early/2014/01/04/reep.ret024.abstract</a>)
- Keeler B., Krohn, B., Nickerson, T. & Hill, J. 2014. U.S. Federal agency models offer different visions for achieving Renewable Fuel Standard (RFS2) biofuel volumes. Environ. Sci. Technol. (2013) 47: 10095–10101. DOI: 10.1021/es402181y (<a href="http://pubs.acs.org/doi/abs/10.1021/es402181y">http://pubs.acs.org/doi/abs/10.1021/es402181y</a>). (Cover Feature)
- Panagopoulos, Y., Gassman, P., Arritt, R., Herzmann, D., Campbell, T., Jha, M., Kling, C.L., Srinivasan, R., White, M. & Arnold, J. 2014. Surface Water Quality and Cropping Systems Sustainability under a Changing Climate in the Upper Mississippi River Basin. Journal of Soil and Water Conservation 69:483-494. DOI: 10.2489/jswc.69.6.483
   (<a href="http://www.jswconline.org/content/69/6/483.refs">http://www.jswconline.org/content/69/6/483.refs</a>).
- Rabotyagov, S., Valcu, A. & Kling, C.L. 2014. Reversing the Property Rights: Practice-Based Approaches for Controlling Agricultural Nonpoint-Source Water Pollution When Emissions Aggregate Nonlinearly. American Journal of Agricultural Economics 96 (2): 397-419. DOI 10.1093/ajae/aat094 (<a href="http://ajae.oxfordjournals.org/content/96/2/397.abstract">http://ajae.oxfordjournals.org/content/96/2/397.abstract</a>)

## ... and justice for all

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Many materials can be made available in alternative formats for ADA clients. To file a complaint of discrimination, write USDA, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964.

lowa State University Extension programs are available to all without regard to race, color, age, religion, national origin, sexual orientation, gender identity, genetic information, sex, marital status, disability, or status as a U.S. veteran. Inquiries can be directed to the Director of Equal Opportunity and Compliance, 3280 Beardshear Hall, (515) 294-7612. Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Cooperative Extension Service, Iowa State University of Science and Technology, Ames, Iowa.